

Services - rc.local

- This section describes how to create a service file. As an example we use the re-creation of rc.local in Debian 10:

```
sudo vim /etc/systemd/system/rc-local.service
```

```
[Unit]
Description=/etc/rc.local Compatibility
ConditionPathExists=/etc/rc.local
ConditionFileIsExecutable=/etc/rc.local
After=network.target
```

```
[Service]
Type=forking
ExecStart=/etc/rc.local start
TimeoutSec=0
StandardOutput=tty
RemainAfterExit=yes
GuessMainPID=no
SysVStartPriority=99
```

```
[Install]
WantedBy=multi-user.target
```

- The executable the service file points to:

```
sudo vim /etc/rc.local
```

```
#!/bin/sh -e
#
# rc.local
#
# This script is executed at the end of each multiuser runlevel.
# Make sure that the script will "exit 0" on success or any other
# value on error.
#
# In order to enable or disable this script just change the execution
# bits.
#
# By default this script does nothing.

exit 0
```

- Make it executable:

```
chmod +x /etc/rc.local
```

- And enable the service to start during boot:

```
systemctl enable rc-local
```

- And start the service

```
systemctl start rc-local
```

- You can view the status of the service with:

```
systemctl status rc-local
```

Links

- [systemd Services](#)
- [Debian 10 add rc.local](#)

From:

<https://wiki.condrau.com/> - **Bernard's Wiki**

Permanent link:

<https://wiki.condrau.com/deb10:rclocal>

Last update: **2023/04/20 23:35**

