

# LUKS - Disk Encryption

## Encryption on Debian 9

1. Install dm-crypt

```
apt-get install cryptsetup
```

2. If you encrypted data drives during initial system setup, your swap space will be encrypted as well. First remove the swap encryption.

```
sudo mkswap -f /dev/sda6  
sudo swapon /dev/sda6
```

3. Add the swap space to /etc/fstab. If you have swap on multiple drives, where the remaining space is allocated to a software RAID, add the swap partitions with the same priority.

```
/dev/hda6 none swap sw,pri=1 0 0
```

4. Remove the fstab entry for mounting the encrypted volume
5. Add the following commands to [rc.local](#) executed as root

```
echo "volume password" | sudo cryptsetup luksOpen /dev/mapper/vg-lv  
my_encrypted_volume  
mount /dev/mapper/my_encrypted_volume /mount/point
```

6. To lock the container again, it needs to be unmounted first

```
sudo umount /media/my_device  
sudo cryptsetup luksClose my_encrypted_volume
```

## Encrypt volume

1. Find the Block Device Name of Your Partition

```
lsblk
```

2. Set Up LUKS Header

```
sudo cryptsetup luksFormat /dev/mapper/<vg name>-<lv name>
```

3. Create a Filesystem on the Partition. You have to map this physical device to a virtual device. What gets written to the virtual device will be encrypted before being stored on the physical device.

```
sudo cryptsetup luksOpen /dev/mapper/<vg name>-<lv name> <vg name>-<lv  
name>_crypt
```

```
sudo mkfs.ext4 /dev/mapper/<vg name>-<lv name>_crypt
```

#### 4. Mount Encrypted Partition

```
sudo mount /dev/mapper/<vg name>-<lv name>_crypt /mountpoint
```

5. If you need a directory tree to be copied from a backup location back to the newly encrypted drive, do it with rsync

```
rsync -av --progress --exclude '/home/user/VirtualBox VMs' /home/user /mountpoint/
```

## Increase size of Raid Disk Array with LVM and LUKS

These steps have to be taken to increase a Raid Disk Array with the following configuration: RAID → LVM → LUKS → ext4.

1. Increase size of Raid explained in [RAID - mdadm \(Software RAID\)](#)
2. Unmount the file system

```
sudo umount /backup
```

#### 3. Close LUKS

```
cryptsetup luksClose vg_backup-lv_backup_crypt
```

4. Resize the physical volume to consume all free space in LVM

```
pvresize /dev/md3
```

5. Resize the logical volume to consume all free space in LVM

```
lvresize -l+100%FREE /dev/vg_backup/lv_backup
```

6. Open LUKS and enter the volume password

```
cryptsetup luksOpen /dev/mapper/vg_backup-lv_backup vg_backup-lv_backup_crypt
```

7. Check the filesystem

```
e2fsck -f /dev/mapper/vg_backup-lv_backup_crypt
```

8. Extend the filesystem to consume all free space

```
resize2fs /dev/mapper/vg_backup-lv_backup_crypt
```

9. Mount file system

```
mount /dev/mapper/vg_backup-lv_backup_crypt /backup
```

## Links

- [How To: Linux Hard Disk Encryption With LUKS](#)
- [Resizing a LUKS volume on LVM](#)
- [Extend a LUKS encrypted partition to fill disk](#)
- [Encrypt an existing Linux installation with LUKS and LVM](#)
- [Replace LUKS partition with ext4 partition with same contents](#)
- [What's the difference between LUKS, cryptsetup, and dm-crypt?](#)
- [Mount encrypted volumes from command line?](#)
- [How to Encrypt Your Partitions on Linux with dm-crypt](#)
- [Where is rc.local in Debian 9 \(Debian Stretch\)](#)
- [dm-crypt/Encrypting an entire system](#)
- [LVM \(Debian Wiki\)](#)
- [dm-crypt/Swap encryption](#)
- [Setting up swap space](#)
- [How to wipe free disk space in Linux?](#)
- [Best order of RAID, LVM and LUKS](#)

From:

<https://wiki.condrau.com/> - **Bernard's Wiki**

Permanent link:

<https://wiki.condrau.com/deb9:luks?rev=1592894368>

Last update: **2020/06/23 13:39**

