

DokuWiki Help Server

The help server is built with DokuWiki. At the moment, all admin help views are served from this server. At a later date, I plan to migrate all site help views to the help server as well.

Installation

1. Go to [Download DokuWiki](#) and configure your download to include:
 - Version: stable
 - Languages: en, de, fr, ko, th
 - Popular Plugins: CAPTCHA, Upgrade, Wrap, Translation.
2. Unzip the download to your web server directory, then run `/path/to/wiki/install.php`
3. Install bethico template for DokuWiki
4. Install the [Icons Plugin](#) for FontAwesome icons

Settings

- Add “admin” group for every administrator of the help server in *User Manager*.
- Create the language namespaces (e.g. en, fr, de, ko, th) and set permissions to *Read only* for @ALL in *Access Control List Management*
- Set “Use first heading for pagenames” to **Always** under *Display* in DokuWiki's *Configuration Settings*.
- Set “Top level for table of contents=2”, “Minimum amount of headlines that determines whether the TOC is built=1”, “Maximum level for table of contents=4”, and “Maximum section edit level=4” under *Display* in DokuWiki's *Configuration Settings*.
- Uncheck icon libraries other than *FontAwesome* from Icons plugin configuration in DokuWiki's *Configuration Settings*.

Customization

There are a few core hacks required to make this work as a help server, but they are simple and thus easy to maintain, even after an update of DokuWiki or any of the extensions.

- Copy 'doku.php' to 'help.php' in the DokuWiki root folder
- Create the language fallback to English for non-existent translation pages by adding 3 lines to /help.php at line #41, just below `'$ID = getID();'`. Remember to update after you add or remove languages.

```
// bco: 20181114. Get requested language and set language fallback
require_once(template('dispatcher.php'));
$langcode = help_language();
```

- Modify 'help.php' and replace line #119+4 and #120+4

```
//do the work (picks up what to do from global env)
```

```
act_dispatch();
```

with

```
// bco: 20181114. Set language and load act_dispatch override  
init_lang($langcode);  
help_dispatch();
```

- Change 3rd parameter of 'dw_page.makeToggle' call in file '/lib/scripts/page.js' from *null* or *1* to **-1** to initialize 'closed' instead of 'opened'.
- After a DokuWiki upgrade make sure that
 - If '/inc/actions.php' has been upgraded, reflect the changes in '/lib/tpl/bethico/dispatcher.php'
 - If '/doku.php' has been upgraded, reflect the changes in '/help.php'
- If you use a template other than 'bethico', you must copy '/lib/tpl/bethico/css/userstyle.css' to '/conf'
- Optional: replace favicon and logo in '/lib/tpl/bethico/images/'.

Joomla Access

- Set the Help URL in the component configuration of com_bethico to

```
'https://your.wiki.server/help.php?id={langcode}:{keyref}'
```

- Add a help button to view 'view' to open the help page

```
JToolbarHelper::help('view', true);
```

- With English as the active language it will invoke

```
https://your.wiki.server/help.php?id=en:view
```

- For reference, Joomla's default help url is

```
https://help.joomla.org/proxy?keyref=Help{major}{minor}:{keyref}&lang={  
langcode}
```

Links

- [DokuWiki Help Server with 2 templates](#)

From:
<http://wiki.condrau.com/> - **Bernard's Wiki**

Permanent link:
<http://wiki.condrau.com/joomla:j39help?rev=1542309882>

Last update: **2018/11/16 02:24**



