

Configuration

Locale settings

Check the current locale settings and update to a new locale:

```
locale -a
update-locale LANG=en_US.UTF-8
```

Remove the Korean language upgrade message:

- the text file `/etc/update-manager/release-upgrades` controls what release upgrades you'll be notified about, defaults to "lts"
- remove `/var/lib/update-notifier/release-upgrade-available` to get rid of the Korean upgrade message.

Add user

```
# adduser <username>
```

To elevate the user to administrator, add him to the sudo group

```
# vim /etc/group
```

To allow the new user to login via SSH with a keypair, copy the public key to `~/.ssh/authorized_keys` file. Make sure the directory and file is owned by the user, and group and others do not have permissions. If you need to create the public key first, follow this guide: [SSH Client and Server](#).

After testing SSH access with `<username>`, disable root login with password in `/etc/ssh/sshd_config`:

```
# vim /etc/ssh/sshd_config
PermitRootLogin without-password
UsePAM no
# /etc/init.d/ssh reload
```

change hostname

```
hostname <newname>
```

Check the support status

```
$ ubuntu-support-status
```

From:
<https://wiki.condrau.com/> - **Bernard's Wiki**

Permanent link:
<https://wiki.condrau.com/ub1604:config>

Last update: **2017/11/11 01:13**

